Individual Commenter Information						
(Complete	(Complete this page for comments from one organization or individual.)					
Name: Th	ad K.	Ness				
Organization: Am	nerica	n Electric Power				
Telephone: 614	4-716	-2053				
E-mail: tkn	ess@	aep.com				
NERC Region		Registered Ballot Body Segment				
	\boxtimes	1 — Transmission Owners				
☐ FRCC		2 — RTOs and ISOs				
☐ MRO		3 — Load-serving Entities				
		4 — Transmission-dependent Utilities				
⊠ RFC	\boxtimes	5 — Electric Generators				
SERC		6 — Electricity Brokers, Aggregators, and Marketers				
⊠ SPP		7 — Large Electricity End Users				
☐ WECC		8 — Small Electricity End Users				
☐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities				
		10 — Regional Reliability Organizations and Regional Entities				

Group Comments (Complete this page if comments are from a group.)

Group Name:			
Lead Contact:			
Contact Organization:			
Contact Segment:			
Contact Telephone:			
Contact E-mail:			
Additional Member Name	Additional Member Organization	Region*	Segment*

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9**, **2007**.

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	☐ Yes ☐ No
	Comments: AEP believes that the current standard (when thoroughly read and understood) is completely adequate to maintain a reliable transmission system with minimum risk of vegetation-related outages.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	⊠ Yes
	⊠ No
	Comments: Of the three regions in which AEP has transmission facilities, only one RE has provided a listing of sub-200 kV facilities of what we consider applicable under this standard.
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.
	∑ Yes
	Comments: For Clearance 1, AEP has chosen to use the minimum approach distances set forth in ANSI Tree Care Standard Z133.1 (rev. October 2000) for persons other than qualified line-clearance arborists and qualified line-clearance arborist trainees. For Clearance 2, AEP utilizes the Z133.1 minimum approach distances for qualified line clearance arborists and qualified line-clearance arborist trainees.
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	□ No
	Comments: The SAR directs the SDT to collect and analyze outage data as part of an effort to define clearances for transmission lines on federal and non-federal lands. AEP believes that the analysis of outage data will be meaningless and unproductive. The SAR directive presupposes a cause-and-effect relationship between vegetation-related outages and federal/non-federal land status. On the contrary, AEP believes that vegetation-related data is more indicative of the effectiveness of the utility's VM program, in spite of onerous and inordinately expensive measures required on federal lands.

Individual Commenter Information					
(Compl	(Complete this page for comments from one organization or individual.)				
Name:	Name: Mary Hetz				
Organization:	Amere	n			
Telephone:	314-55	4-3633			
E-mail:	Mhetz@	@ameren.com			
NERC Region		Registered Ballot Body Segment			
☐ ERCOT	\boxtimes	1 — Transmission Owners			
☐ FRCC		2 — RTOs and ISOs			
		3 — Load-serving Entities			
		4 — Transmission-dependent Utilities			
☐ RFC		5 — Electric Generators			
⊠ SERC		6 — Electricity Brokers, Aggregators, and Marketers			
☐ SPP		7 — Large Electricity End Users			
☐ WECC		8 — Small Electricity End Users			
∐ NA – No Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities			
		10 — Regional Reliability Organizations and Regional Entities			

Group Name:

Group Comments (Complete this page if comments are from a group.)

Ameren Vegetation Management Department

Lead Contact:	Ray Wiesehan		
Contact Organization:			
Contact Segment:			
Contact Telephone:			
Contact E-mail:			
Additional Member Nai	me Additional Member Organization	Region*	Segment*
*If more than one Region of	r Segment applies, indicate the best fit for	or the purpo	se of these

comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the aforementioned items is needed to ensure reliability of the bulk power system.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	☐ Yes
	□ No
	Comments:
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	☐ Yes
	□ No
	Comments:
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.
	Yes
	□ No
	Comments:
	And there are other comments remarking the standard its possible
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	⊠ Yes
	— □ No
	Comments: Ameren does not agree that each of 11 items listed in the SAR are necessary to improve reliability. The following comments are offered for each of the 11 items identified in the SAR detail description:
	1. Standard Applicability:
	Ameren disagrees with revising the 200 kV threshold for determining facilities subject to this standard. Extending the requirements to lines other than those >200kV will dilute the focus on those lines that impact grid reliability and shift attention to facilities, <200kV. Utilities generally have an incentive to maintain reliability on lines less than 200kV. State commissions and customer expections for reliable service provide this incentive. While many facilities above 200kV directly support customer load, transmission lines below 200kV primarily support customer load, and interruptions to those facilities reduces load on the grid.
	The majority of transmission facilities below 200 kV also have significantly different

The majority of transmission facilities below 200 kV also have significantly different design/construction/operating characteristics and have not been cited as impacting bulk power system reliability. For example, the Final Report on the August 14, 2003 Blackout in the United states and Canada: Causes and Recommendations April 2004 by the U.S.- Canada Power System Outage Task Force and all referenced major blackouts (pages 103-115) in that report, cited only outages which involved vegetation at line

voltages above 200kV. Generally applying requirements that are appropriate for >200kV lines to lines less than 200kV will result in significant documentation and reporting of items such as restrictions, mitigation plans, off right-of-way vegetation-related outage investigation/ information and other issues, all of which dilutes the focus on lines that directly impact bulk power system reliability.

Revising the standard to use general criteria or broad language for defining "Bulk Power System" transmission lines covered by the standard is a "one size fits all" approach. If that approach were taken, the standard would cover a significant number of transmission lines that have no direct impact on bulk power system reliability under standard planning/operating conditions, resulting in a significant cost burden for electric customers without improving "grid" reliability. Ameren believes that the applicability provision of the standard should focus attention of the standard only on the transmission lines below 200kV that directly impact "Bulk Power System" reliability, as the current version requires.

Ameren recognizes some validity in the Commission's concern, Ameren recommends that the applicability provision of this standard should be revised only if existing system design, planning or operating reliability criteria and parameters are considered as a basis for defining the applicability of the standard. Ameren recommends each Regional Entity (RE) determine applicability of FAC-003 to those lines within the region that are between 100kV and 200kV, if, and only if, they are identified as operationally significant elements of Interconnection Reliability Operating Limits ("IROLs"). That is, any facility below 200kV that by itself would cause an Interconnected Reliability Limit Violation should the facility be outaged.

2. Issue of Clearances (Federal vs Non-Federal Lands):

FAC-003-1 presently requires the transmission owner (TO) "identify and document clearances between vegetation and any overhead, ungrounded supply conductors, taking into consideration transmission line voltage, the effects of ambient temperature on conductor sag under maximum design loading, and the effects of wind velocities on conductor sway." The intent of this requirement is to ensure adequate clearances to prevent vegetation related outages. Ameren believes that only the TO has the technical information required to determine the clearances that are necessary at the time of VM work and that any "federal lands exemption" to clearances will result in inadequate clearances for the existing conditions. Consistency in application of the TO's clearance requirements, not exceptions, is the only assurance in providing a uniform and reliable electrical system to meet the nation's current and future energy demands.

Any exception for a case by case clearance approach to determine vegetation management activities/clearances on Federal lands will continue to drive inconsistency and/or delays associated with vegetation management decisions being driven by diverse vegetation management practices/beliefs and staff changes at the local level of Federal agencies. Vegetation-related outages have occurred on Federal lands as a result of this case by case approach, and if "Bulk Power Transmission System" lines continue to be addressed on a "case by case" basis on National Forest Service (or any other Federal lands), those lines will potentially be subject to a higher risk for vegetation-related outages, resulting in reduced reliability for the "Bulk Power System".

Ameren believes that reliability of the "Bulk Power System" should have the same focus on Federal and private lands and that the EEI MOU with federal agencies is the

appropriate vehicle for TO's to identify clearance variances on Ferderal lands, not exemption language in the standard. The standard should not be used as a mechanism by federal agencies to impose variances to proven vegetation management practices and clearances.

3. Defining Right-of-Way:

Ameren agrees that it is appropriate to further address the definition of "right-of-way". Corridor widths beyond design clearance requirements have been acquired for a variety of reasons in the past; future use, property line buffers, etc. Vegetation in those areas that would normally fall outside of the area necessary for operation of the facility should not be considered or treated different than vegetation that is outside of a defined easement/permit area that is designed for the reliable operation of an existing single line corridor.

4. IEEE Standard for Minimum Clearances:

Ameren disagrees with objections to the use of the IEEE 516-2003 clearance as the minimum acceptable distances for "Clearance 2". The IEEE 516-2003 tables are appropriate for defining the minimum acceptable clearances to prevent flashover between conductors and vegetation under all rated electrical operating conditions. FERC staff references ANSI Z-133 which is a safety standard that addresses worker safety as well as the safety of the general public. As such, the purpose of ANSI Z-133 is to address worker safety and is not focused on transmission line reliability, which is the purpose of FAC-003-1. OSHA, NESC and other related safety standards have clearances in excess of IEEE 516-2003. Those clearances are clearly focused on safety issues and will still apply to other aspects of design and operation of electric facilities (such as public and worker safety) but are not appropriate to be referenced in a vegetation management reliability standard.

5/6/7. Procedural Items:

Ameren agrees that the procedural items related to formatting RRO references and additional compliance elements should be addressed by the standard drafting team.

8. Technical Reference Materials:

Ameren agrees that a "white paper" that defines the technical basis for the standard is appropriate to avoid the potential for differences in interpretation of the standard's requirements during the various region's audit processes.

9. Category 3 Outages:

Since the right to control off right-of-way vegetation is generally beyond control of the transmission owner Ameren believes that the reporting of category 3 outages should be removed from the requirements.

10. Requirement R4:

Ameren believes that requirement R4 should be deleted from the standard, based on the ERO formation and the process for delegation of authority to the regional entities.

11. Reporting Exemptions:

Ameren believes that the reporting requirement exemptions for natural disasters should include all categories of outages. It would, for example, be difficult, without delaying restoration efforts, to determine if the vegetation from high winds, hurricanes, tornadoes, etc. is from on or off the "right-of-way".

Individual Commenter Information						
(Complet	(Complete this page for comments from one organization or individual.)					
Name: Jo	hn R.	Kellum, Jr.				
Organization: Co	enterP	oint Energy Houston Electric, LLC (CenterPoint Energy)				
Telephone: 71	3-207	-6036				
E-mail: jo	nn.kell	um@centerpointenergy.com				
NERC Region		Registered Ballot Body Segment				
⊠ ERCOT	\boxtimes	1 — Transmission Owners				
☐ FRCC		2 — RTOs and ISOs				
☐ MRO		3 — Load-serving Entities				
		4 — Transmission-dependent Utilities				
RFC		5 — Electric Generators				
☐ SERC		6 — Electricity Brokers, Aggregators, and Marketers				
SPP		7 — Large Electricity End Users				
☐ WECC		8 — Small Electricity End Users				
☐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities				
		10 — Regional Reliability Organizations and Regional Entities				

Group Comments (Complete this page if comments are from a group.)

Group Name:			
Lead Contact:			
Contact Organization:			
Contact Segment:			
Contact Telephone:			
Contact E-mail:			
Additional Member Name	Additional Member Organization	Region*	Segment*

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the aforementioned items is needed to ensure reliability of the bulk power system.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?				
	☐ Yes ☐ No				
	Comments: CenterPoint Energy does not agree that a revision to the TVM standard is necessary from a reliability standpoint, and believes that the existing TVM standard is adequate for that purpose.				
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?				
	☐ Yes				
	⊠ No				
	Comments:				
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.				
	□ No				
	Comments: CenterPoint Energy has developed a methodology to determine clearance 1 and clearance 2 as described in FAC-003-1 R1.2.1 and R1.2.2. This methodology is included in a document titled "Specification for Transmission Vegetation Management Program" dated February 2007. Section 5.1 of that document covers NERC Clearance 1, and Section 5.2 covers NERC Clearance 2. Text and Tables from both Sections 5.1 and 5.2 are shown below:				
	5.1 NERC CLEARANCE 1				
	5.1.1 The appropriate clearance to conductors at the time of vegetation management work is established as Clearance 1 in accordance with NERC Standard FAC-003-1 Requirement R1.2.1.				
	5.1.2 Clearance 1 is determined by considering transmission line voltage, the effects of ambient temperature on conductor sag under maximum design loading, the effects of wind velocities on conductor sway, and the anticipated average growth rate of the prevalent tree species within the Company's service area over a 5-year period.				
	5.1.2.1 The minimum clearance distance of IEEE Standard 516-2003 Section 4.2.2.3, Minimum Air Insulation Distances without Tools in the Air Gap, is a component of Clearance 1.				

for Clearance 1, and Table 5.2 contains the vertical clearance components and nominal

values for Clearance 1.

Table 5.1 contains the horizontal clearance components and nominal values

Table 5.1 NERC Clearance 1: Horizontal Clearance, feet Horizontal Clearance Component, Nominal Voltage p-p

	69kV	138kV	345kV
Electrical Clearance (1)	2.46	2.95	4.40
Average 5-Year Horizontal Tree Growth	12.00	12.00	12.00
Average Mid-span Conductor Sway (2)	5.98	8.13	10.04
Total	20.44	23.08	26.44
Nominal Horizontal Value (3)	20	23	26

- (1) Based on IEEE 516-2003 Table 5 for 69kV & 138kV and Table 7 for 345kV
- (2) Based on NESC C2-2007 Rule 233A(1)
- (3) May be reduced for site specific tree species or conductor span configuration but not less than Clearance 2.

Table 5.2 NERC Clearance 1: Vertical Clearance, feet Vertical Clearance Component, Nominal Voltage p-p

	69kV	138kV	345kV
Electrical Clearance (1)	2.46	2.95	4.40
Average 5-Year Vertical Tree Growth	15.75	15.75	15.75
Average Conductor Final Sag Increase (2)	7.52	9.01	10.24
Total	25.73	27.71	30.39
Nominal Vertical Value (3)	26	28	30

- (1) Based on IEEE 516-2003 Table 5 for 69kV & 138kV and Table 7 for 345kV
- (2) Based on NESC C2-2007 Rule 233A(1)
- (3) May be reduced for site specific tree species or conductor span configuration but not less than Clearance 2.

5.2 NERC CLEARANCE 2

5.2.1 The minimum radial clearance to prevent flashover between vegetation and conductors is established as Clearance 2 in accordance with NERC Standard FAC-003-1 Requirement R1.2.2.

- 5.2.2 Clearance 2 is determined by considering transmission line voltage, the effects of ambient temperature on conductor sag under maximum design loading, and the effects of wind velocities on conductor sway. Clearance 2 is a radial clearance, so the vertical component and the horizontal component are both calculated, and the largest clearance is selected as the prevailing clearance for Clearance 2.
- 5.2.2.1 The minimum clearance distance of IEEE Standard 516-2003 Section 4.2.2.3, Minimum Air Insulation Distances without Tools in the Air Gap, is a component of Clearance 2.
- 5.2.3 Table 5.3 contains the horizontal clearance component, Table 5.4 contains the vertical clearance component, and Table 5.5 contains the prevailing nominal values for Clearance 2.

Table 5.3

Horizontal Clearance Component, feet Horizontal Clearance Component, Nominal Voltage p-p

	69kV	138kV	345kV
Electrical Clearance (1)	2.46	2.95	4.40
Average Mid-span Conductor Sway (2)	5.98	8.13	10.04
Total	8.44	11.08	14.44
Nominal Horizontal Value (3)	8	11	14

- (1) Based on IEEE 516-2003 Table 5 for 69kV & 138kV and Table 7 for 345kV
- (2) Based on NESC C2-2007 Rule 233A(1)
- (3) May be reduced for site specific tree species or conductor span configuration but not less than Clearance 2.

Table 5.4

Vertical Clearance Component, feet Vertical Clearance Component, Nominal Voltage p-p

69kV 138kV 345kV

Comment Form — Transmission Vegetation Management SAR

	Electrical Clearance (1)	2.46	2.95	4.40
	Average Conductor Final Sag Increase (2)	7.52	9.01	10.24
	Total Nominal Vertical Value (3)	9.98 10	11.96 12	14.64 15
	(1) Based on IEEE 516-2003 Table 5 for 69kV(2) Based on NESC C2-2007 Rule 233A(1)(3) May be reduced for site specific tree spec not less than Clearance 2.			
	Table 5.5			
NERC Clearance 2: Minimum Radial Clearance to Prevent Flashover, feet Nominal Voltage p-p				
	Nominal Voltage μ-μ	69kV 10	138kV 12	345kV 15
4.	Are there any other comments regarding modifications or the SAR?	the st	andard	, its possible
	Yes			
	⊠ No			
	Comments:			

Individual Commenter Information				
(Complet	(Complete this page for comments from one organization or individual.)			
Name: W	eston	J Davis		
Organization: Ce	entral l	Maine Power an Energey East Company		
Telephone: 20	7 621	3945		
E-mail: W	eston.	Davis@cmpco.com		
NERC Region		Registered Ballot Body Segment		
☐ ERCOT	\boxtimes	1 — Transmission Owners		
☐ FRCC		2 — RTOs and ISOs		
☐ MRO		3 — Load-serving Entities		
☐ NPCC		4 — Transmission-dependent Utilities		
RFC		5 — Electric Generators		
SERC		6 — Electricity Brokers, Aggregators, and Marketers		
SPP		7 — Large Electricity End Users		
☐ WECC		8 — Small Electricity End Users		
∐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities		
		10 — Regional Reliability Organizations and Regional Entities		

Group Comments (Complete this page if comments are from a group.)

Group Name:						
Lead Contact:						
Contact Organization:						
Contact Segment:						
Contact Telephone:						
Contact E-mail:						
Additional Member Name	Additional Member Organization	Region*	Segment*			
	Ch C					
*IC		and the second of the second o	£ 41			

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the aforementioned items is needed to ensure reliability of the bulk power system.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	☐ Yes ☐ No
	Comments: The current Vegetation Management Standard FAC-003-1 has been crafted in such a way as to provide crisp measurable standards that when followed will provide a high level of power quality for the bulk power delivery system. However, clearances between conductors and trees required to prevent tree related power outages must be consistent with each utility's established standards and if a transmission line passes through federal, state or locally managed areas this line placement should not impact the established clearances. Utilities should not be expected to negotiate clearances with multiple land managers.
	The IEEE 516 – 2003 table is an acceptable table to use as the minimum clearance to prevent a flash over and outages. FAC-003-1 is designed to be a reliability standard and the industry adheres to OSHA and ANSI standards to protect workers and the public. The IEEE 516 – 2003 table lists appropriate distances that should be used to measure
	compliance. The standard should continue to provide the flexibility for utility managers to increase "Clearance 2".
	The definition for right-of-way should be clarified to include only the area that is cleared and included as routine maintenance.
	We agree that there is a need to establish time horizons and clarify violation levels.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	Yes
	⊠ No
	Comments: The "Northeast Power Coordinating Council Facilities Notification List" may not be the correct list to be used for this standard. FAC- 003-1 should set a clear expectation the each Regional Entity will provide their transmission owners a list of critical lines including any that may be less that 200KV. Will provide list once released from NPCC.
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach. Yes
	⊠ No
	Comments: The clearance 2 was taken directly from IEEE Table 516 – 2003. Clearance 1 is based on "Appendix C – ISO New England Right of way Vegetation Management Standard".

Are there any other comments regarding the standard, its possible modifications or the SAR?
⊠ Yes
□ No
Comments: The standard FAC-003-1 is intended to create a frame work that will ensure a uniform level of reliability and at the same time must allow transmission owners to meet this objective using efficient and cost effective programs. To this end utilities must have the ability to implement "Clearance 1" distances consistently throughout their service areas.
The standard should remain focused only on 200 KV and above lines or lines listed as critical by the Regional Entity.
Inspection cycles are sufficient as listed the current version and allow flexibility to meet local variability in growth rates and other conditions. Concerns with inspection cycle length can be addressed in the compliance area

Individual Commenter Information					
(Comple	(Complete this page for comments from one organization or individual.)				
Name:	CJ Inge	ersoll			
Organization:	CECD				
Telephone:	713-332	-2906			
E-mail:	c.j.inger	soll@constellation.com			
NERC Region		Registered Ballot Body Segment			
☐ ERCOT		1 — Transmission Owners			
☐ FRCC		2 — RTOs and ISOs			
☐ MRO	\boxtimes	3 — Load-serving Entities			
		4 — Transmission-dependent Utilities			
☐ RFC		5 — Electric Generators			
\boxtimes SERC		6 — Electricity Brokers, Aggregators, and Marketers			
☐ SPP		7 — Large Electricity End Users			
		8 — Small Electricity End Users			
∐ NA – No Applicable	-	9 — Federal, State, Provincial Regulatory or other Government Entities			
		10 — Regional Reliability Organizations and Regional Entities			

Group Comments (Complete this page if comments are from a group.)

Group Name:					
Lead Contact:					
Contact Organization:					
Contact Segment:					
Contact Telephone:					
Contact E-mail:					
Additional Member Name	Additional Member Organization	Region*	Segment*		

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the aforementioned items is needed to ensure reliability of the bulk power system.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	Comments: Modifications to capture the Commissions concerns must be addressed therefore these actions are appropriate.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	☐ Yes
	⊠ No
	Comments: SERC does not currently have any sub 200 kV critical transmission lines.
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach. Yes
	□No
	Comments:
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	⊠ Yes
	□ No
	Comments: CECD supports continuing to use the 200kV threshold for determining applicability of vegetation management criteria. If the standard is deemed to apply to lower voltages these should only be critical lower voltage transmission facilities as determined by the Regional Entities's. CECD would also encourage the drafting team to clarify that the Vegetation Management standards are not applicable to generator interconnection facilities. In the registration process due to the NERC functional definitions, Generation Owners/Operators are required to register as Transmission Owners/Operators because of step-up transformers and other associated interconnection equipment that was not intended to be subject to the Vegetation Management program.

Individual Commenter Information					
(Complet	(Complete this page for comments from one organization or individual.)				
Name: W	illiam	T. Rees, Jr.			
Organization: Ba	ltimor	e Gas & Electric			
Telephone: 41	0-291	-3479			
E-mail: Wi	lliam.	T.Rees@constellation.com			
NERC Region		Registered Ballot Body Segment			
☐ ERCOT		1 — Transmission Owners			
☐ FRCC		2 — RTOs and ISOs			
☐ MRO		3 — Load-serving Entities			
		4 — Transmission-dependent Utilities			
RFC		5 — Electric Generators			
☐ SERC		6 — Electricity Brokers, Aggregators, and Marketers			
☐ SPP		7 — Large Electricity End Users			
☐ WECC		8 — Small Electricity End Users			
☐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities			
		10 — Regional Reliability Organizations and Regional Entities			

Group Comments (Complete this page if comments are from a group.)

Group Name:					
Lead Contact:					
Contact Organization:					
Contact Segment:					
Contact Telephone:					
Contact E-mail:					
Additional Member Name	Additional Member Organization	Region*	Segment*		

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the aforementioned items is needed to ensure reliability of the bulk power system.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	Yes
	⊠ No
	Comments: I'm not convinced that the elements outlined in the proposal will improve reliability and have concerns that the proposed modifications may actually reduce the flexibility that is necessary to promote system reliability or to comply with local regulations. I would prefer to see more specifics in the proposal before supporting the modifications.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	Yes
	⊠ No
	Comments: The reason that we do not have a list of critical lines from the RRO may be that we do not have any lines that fit the criteria.
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.
	□ No
	Comments:
4.	Are there any other comments regarding the standard, its possible
	modifications or the SAR?
	⊠ Yes
	□ No
	Comments: We completely disagree with the proposal to eliminate reporting or off-right-of-way tree outages. In reality, off-R/W outages can cause many of the same problems that on R/W outages do if they were to occur at the most inappropriate time. Granted that they typically do not occur at times of peak load, but they could. Moreover, many off-R/W tree outages are preventable and should be addressed before they occur.

Individual Commenter Information				
(Comple	ete thi	s page for comments from one organization or individual.)		
Name:	Gene W	/alton		
Organization:	Dominio	n		
Telephone:	804-257	-4770		
E-mail:	gene.wa	lton@dom.com		
NERC Region		Registered Ballot Body Segment		
☐ ERCOT	\boxtimes	1 — Transmission Owners		
☐ FRCC		2 — RTOs and ISOs		
☐ MRO		3 — Load-serving Entities		
		4 — Transmission-dependent Utilities		
☐ RFC		5 — Electric Generators		
⊠ SERC		6 — Electricity Brokers, Aggregators, and Marketers		
☐ SPP		7 — Large Electricity End Users		
		8 — Small Electricity End Users		
∐ NA – No Applicable	ot 🗆	9 — Federal, State, Provincial Regulatory or other Government Entities		
		10 — Regional Reliability Organizations and Regional Entities		

Group Comments (Complete this page if comments are from a group.)

Group Name:			
Lead Contact:			
Contact Organization:			
Contact Segment:			
Contact Telephone:			
Contact E-mail:			
Additional Member Name	Additional Member Organization	Region*	Segment*

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the aforementioned items is needed to ensure reliability of the bulk power system.

Comment Form — Transmission Vegetation Management SAR

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?		
	⊠ Yes		
	□ No		
	Comments: We support reinstating the 200kv threshold for reportable events.		
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?		
	Yes		
	⊠ No		
	Comments:		
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach. Yes		
	□No		
	Comments:		
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?		
	⊠ Yes		
	□ No		
	Comments: In response to Stakeholder item #11, we do not support exempting		

Individual Commenter Information				
(Complete this page for comments from one organization or individual.)				
Name: Gro	Greg Rowland			
Organization: Duke Energy				
Telephone: 704-382-5348				
E-mail: gdrowlan@duke-energy.com				
NERC Region		Registered Ballot Body Segment		
☐ ERCOT	\boxtimes	1 — Transmission Owners		
☐ FRCC		2 — RTOs and ISOs		
☐ MRO		3 — Load-serving Entities		
☐ NPCC		4 — Transmission-dependent Utilities		
⊠ RFC	\boxtimes	5 — Electric Generators		
⊠ SERC	\boxtimes	6 — Electricity Brokers, Aggregators, and Marketers		
SPP		7 — Large Electricity End Users		
☐ WECC		8 — Small Electricity End Users		
☐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities		
		10 — Regional Reliability Organizations and Regional Entities		

Group Name:						
Lead Contact:						
Contact Organization:						
Contact Segment:						
Contact Telephone:						
Contact E-mail:						
Additional Member Name	Additional Member Organization	Region*	Segment*			
*16	and anything the least of the					
*16			C + I			

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	Yes
	⊠ No
	Comments: From a reliability perspective, the current standard contains appropriate requirements and measures to ensure the Transmission Owner's vegetation management program is implemented and managed to ensure the reliability of the transmission system. However the standard should be revised to address non-reliability related items that are in the SAR.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	Yes
	⊠ No
	Comments: The SERC region has not identified any lines below 200kV to be critical to the electrical system in the region. Since no lines have been identified as critical to the region, no list has been provided to Transmission Owners.
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.
	□ No
	Comments:
1	Are there any other comments regarding the standard, its possible
٦.	modifications or the SAR?
	⊠ Yes
	□ No
	Comments: Regarding the Order 693 items, the applicability provision of the standard should focus attention of the standard only on the transmission lines 200kV and above, and those lines below 200kV that directly impact "Bulk Power System" reliability, as the current version of FAC-003 requires. Each Regional Entity (RE) must determine applicability of FAC-003 to those lines within the region that are less than 200kV. For example, transmission lines below 200kV should be considered within the scope of FAC-003 if they are identified as operationally significant elements of Interconnection Reliability Operating Limits ("IROLs"); i.e. an outage of the facility would cause an Interconnection Reliability Limit Violation. The Standard DT should address the issue of the necessity of maintaining consistent clearances for lines on both federal and non-federal lands.
	We agree with the use of the IEEE 516-2003 standard for for defining the minimum acceptable clearances to prevent flashover between conductors and vegetation under all rated electrical operating conditions.

We believe that the reporting requirement exemptions for natural disasters should include all categories of outages.

Individual Commenter Information				
(Complete this page for comments from one organization or individual.)				
Name: Pa	ul D.	Olivier		
Organization: Er	ntergy	Corporation		
Telephone: 50	4-365	-3653		
E-mail: po	livie@	entergy.com		
NERC Region		Registered Ballot Body Segment		
☐ ERCOT	\boxtimes	1 — Transmission Owners		
☐ FRCC		2 — RTOs and ISOs		
☐ MRO		3 — Load-serving Entities		
		4 — Transmission-dependent Utilities		
 □ RFC □ 5 — Electric Generators □ 6 — Electricity Brokers, Aggregators, and Marketers 		5 — Electric Generators		
		6 — Electricity Brokers, Aggregators, and Marketers		
☐ SPP		7 — Large Electricity End Users		
■ WECC ■ 8 — Small Electricity End Users		8 — Small Electricity End Users		
☐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities		
		10 — Regional Reliability Organizations and Regional Entities		

Group Name:						
Lead Contact:						
Contact Organization:						
Contact Segment:						
Contact Telephone:						
Contact E-mail:						
Additional Member Name	Additional Member Organization	Region*	Segment*			
	and anything the things and the					
*IC		and the second of the second o	£ 41			

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

۱.	review of the standard?
	⊠ Yes
	□ No
	Comments: The existing FAC-003-1 is flawed and needs revision.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	⊠ Yes
	□ No
	Comments:
	Yes, the Reliability Entity (SERC) has performed its duty in evaluating our transmission system. SERC has confirmed that Entergy has no lines operating below 200kV that are

With respect to applicability, it is inappropriate to set a blunt voltage level criterion for determining which transmission lines are critical to bulk system reliability. There is no basis in engineering or in fact for voltage-based categories of applicability. Many lines operating at 200kV and higher essentially serve only local load, and there may in fact be some lines operating below 200kV where the standard should be applied. Many lines of all voltages are redundant and do not even impact local load during an outage. Therefore, the voltage criterion is overly broad.

critical to system reliability. Entergy has received its "list," but the list is blank.

To support this statement, Entergy supplies the following facts:

First, during the aftermath of Hurricanes Katrina and Rita, Entergy had (59) 230kV and 500kV lines out of service simultaneously. Additionally, Entergy had (85) 115kV and 161kV lines out of service simultaneously. During the aftermath of Hurricane Rita, Entergy had (41) 230kV and 500kV lines out of service simultaneously. Additionally, Entergy had (124) 115kV and 161kV lines out of service simultaneously. Dispite this overwhelming combination of simultaneous outages, no system-wide cascading blackout was initiated. Only local load was lost during restoration. This illustrates that Standard FAC-003-1, as it currently stands placing so much focus and penalty on even single-contingency outages, is overbroad, arbitrary and capricious.

Second, each year the Entergy transmission system (like all other large electric utilities) suffers numerous outages from a great number of different sources: material defects, rot and decay, animal damage, human damage, extreme wind, lightning and, vegetation. Over the years 2001 through 2006, 927 transmission lines suffered 5,688 outages from a variety of sources. Vegetation outages accounted for 7.14% of those outages. Each utility is unique, but these numbers are not unusual for a transmission system comprising 15,000 miles of line. Dispite this large number of outages, no cascading system black out has been intiated.

Finally, Entergy has had as many as 17 transmission lines outaged from a single tornado event without even losing service to local load. Standard FAC-003-1 assigns

too much risk to outages in general, and too mush risk to vegetation outages in particular.

NERC and the regional reliability entities should define performance criteria that specifically define certain contingencies and certain undesireable outcomes that would classify a line as truly critical to bulk system reliability. The modeling software necessary to do this is readily available and already in use today by the Reliability Entities and their subject utilities.

If FERC has concerns about potentially devistating (albeit rare) combinations of multiple simultaneous line outage contingencies, the REs can define strict criteria for multiple contingencies. With respect to lines that result in IROLs and SOLs, these lines can also be identified with specificity, without resorting to blunt voltage distinctions.

Defining system-critical lines too broadly is actually detrimental to FERC's reliability goals. It dilutes the resources available to maintain reliability on those lines that truly affect system reliability. Utilities should employ a more focused and intelligent approach to targeted reliability. Such an approach would have benefits to the users of the transmission system and to the ratepayers that pay for it.

3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.7 and R1.2.2) If so, please attach.				
	□ No				
	Comments:				

Entergy defines four sets of clearances for vegetation approach to transmission lines.

The first set of clearances is the Vegetation Pruning Distance. This is the clearance to be achieved at the time of vegetation management work which vegetation management employees and contractors complete as part of this program. This distance varies with each line, but is set to be the EDGE OF ROW in each case. (This clearance is referred to as "Clearance 1" in the NERC Vegetation standard FAC-003-1, Cf B.R1.2.1).

The second set of clearances is the Vegetation Growth Alert Distance. This is the approach distance that triggers an alert to the Asset Management vegetation management employees that vegetation maintenance is required. Vegetation spotted on an aerial inspection that encroaches upon this clearance is noted on the inspection for future scheduling of pruning.

The third set of clearances is the Minimum Energized Pruning Distance. This is the minimum approach distance vegetation can have to energized transmission lines and still be pruned without an outage on the energized transmission line, in accordance with OSHA safety guidelines. Any vegetation that encroaches on this minimum distance must be pruned, and must be pruned during an outage on the associated transmission line.

The fourth set of clearances is the Minimum Vegetation Approach Distance. This is the absolute minimum radial approach distance to prevent flashover between vegetation and overhead ungrounded supply conductors. Under this program, vegetation should never encroach these minimum approach distances. Vegetation must be pruned prior to reaching this distance and must be pruned with an outage on the transmission line. (This distance is referred to as "Clearance 2" in the NERC vegetation standard, FAC-003-1, Cf B.R1.2.2.) These clearance distances are based upon those set forth in the Institute of Electrical and Electronics Engineers (IEEE) Standard 516-2003 (Guide for Maintenance Methods on Energized Power Lines) and as specified in Table 5.

Under this program, vegetation can encroach the Vegetation Growth Alert Distance and the Minimum Energized Pruning Distance, but it shall not encroach upon the Minimum Vegetation Approach Distance.

4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	⊠ Yes

_

☐ No

Comments:

The policy to increase sanctions based on a finding of an "intentional economic decision to violate the standard" is ill-concieved:

- 1. Every transmission line outage that has ever occured could have been avoided if more money had been spent on SOMETHING, SOMWHERE.
- 2. No utility has an unlimited budget, so decisions based on risk, cost and benefit are made every day.
- 3. After the outage, the localized initiating cause will appear so trivial and inexpensive that it would seem that it could easily have been fixed in advance.
- 4. Therefore, reviewers could conclude that EVERY outage (a defacto violation of the standard), is the result of an "economic decision to violate the standard."

Economic choices are a necessary and natural part of doing business, and do not necessarily imply the existence of malicious motives or wrong-doing.

The current policy is going to create unnecessary costs to ratepayers, even to avoid inconsequential outages.

Individual Commenter Information			
(Compl	ete thi	s page for comments from one organization or individual.)	
Name:	Doug H	lohlbaugh	
Organization:	FirstEne	ergy Corp	
Telephone:	330-384	-4698	
E-mail:	hohlbau	ghdg@firstenergycorp.com	
NERC Region		Registered Ballot Body Segment	
☐ ERCOT		1 — Transmission Owners	
☐ FRCC		2 — RTOs and ISOs	
☐ MRO		3 — Load-serving Entities	
		4 — Transmission-dependent Utilities	
⊠ RFC		5 — Electric Generators	
☐ SERC		6 — Electricity Brokers, Aggregators, and Marketers	
∐ SPP		7 — Large Electricity End Users	
☐ WECC		8 — Small Electricity End Users	
∐ NA – No Applicable	^	9 — Federal, State, Provincial Regulatory or other Government Entities	
		10 — Regional Reliability Organizations and Regional Entities	

Group Name:					
Lead Contact:					
Contact Organization:					
Contact Segment:					
Contact Telephone:					
Contact E-mail:					
Additional Member Name	Additional Member Organization	Region*	Segment*		

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	⊠ Yes
	□ No
	Comments: FirstEnergy agrees that clarification on select issues will aid the intent of this NERC Standard.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	⊠ Yes
	⊠ No
	Comments: ReliabilityFirst, the Reliability Entity (formerly the RRO) was requested to provided a list of lines below 200 kV deemed as critical transmission lines that must comply with FAC-003-01. ReliabilityFirst responded "there are no lines below 200kV deemed as critical infrustructure".
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.
	□ No
	Comments: For R1.2.1 (Clearance 1), FirstEnergy used our existing specification requirement "for minimum clearance to be achieved at locations with an easement or other restriction" to define the minimum exceptable clearance.
	For R1.2.2 (Clearance 2), FirstEnergy uses the IEEE 516-2003 standard as the minimum as referenced in FAC-003-01. This is the minimum clearance under all operating conditions. FirstEnergy believes this is an appropriate definition.
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	⊠ Yes
	□ No
	Comments: The definition of Right-Of-Way requires modification to clarify it is the width required by engineering to operate the line. This may or may not be the legal Right-of-Way. (See previously submitted comments submitted by FE in Feb 2007 for more details).

Individual Commenter Information			
(Comple	te thi	s page for comments from one organization or individual.)	
Name: J	ohn Ta	ımsberg	
Organization: F	Torida F	Power and Light	
Telephone: (5	561) 69	4-3975	
E-mail: jo	ohn_ta	msberg@fpl.com	
NERC		Registered Ballot Body Segment	
Region			
☐ ERCOT	\boxtimes	1 — Transmission Owners	
		2 — RTOs and ISOs	
		3 — Load-serving Entities	
		4 — Transmission-dependent Utilities	
☐ RFC		5 — Electric Generators	
☐ SERC		6 — Electricity Brokers, Aggregators, and Marketers	
☐ SPP		7 — Large Electricity End Users	
☐ WECC		8 — Small Electricity End Users	
∐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities	
		10 — Regional Reliability Organizations and Regional Entities	

Group Name:						
Lead Contact:						
Contact Organization:						
Contact Segment:						
Contact Telephone:						
Contact E-mail:						
Additional Member Name	Additional Member Organization	Region*	Segment*			
	and anything the things and the					
*IC		and the second of the second o	£ 41			

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	⊠ Yes
	□ No
	Comments: FPL believes the technical portion of the standard provides adequate reliability protection to the system. FPL also recognizes the need to re-format the standard to bring it into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines, to remove references to RRO in the standard and substitute a responsible entity and, add compliance elements such as time horizons, and violation severity levels.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	⊠ Yes
	□ No
	Comments:
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach. Yes
	⊠ No
	Comments:
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	□ No
	Comments: For the record FPL re-emphasixe its comments from the previous FAC 003-1 SAR.
	Requirement 3.2 exempts reporting of outages from outside the ROW when natural disasters such as tornados or hurricanes occur. Our experience with numerous hurricanes indicates that all outages during these types of events should be exempt. The focus in these situations is to get the lines back in service and restore customers. There is insufficient manpower to adequately complete the forensics necessary to determine an accurate root cause. It is not uncommon to find vegetation debris in the lines or downed trees on the ROW in this situation. In most cases it is not possible to determine the original location of these trees.

In the compliance section of the document a transmission owner becomes non compliant with a single category 1 or 2 outage. This occurs regardless of the circumstances. A non compliant penalty for a single outage in a situation where no customers were affected and the system could not have been compromised is not

reasonable. It is also not an indicator of a poorly maintained system. We agree that several Category 1 or 2 interruptions could be an indicator of neglect but one is not. We recommend that the compliance section be reviewed with this in mind.

Individual Commenter Information					
(Comple	(Complete this page for comments from one organization or individual.)				
Name: R	oger (Champagne			
Organization: H	ydro-Q	uébec TransÉnergie (HQT)			
Telephone: 5	14 289	-2211, X 2766			
E-mail: cl	nampa	gne.roger.2@hydro.qc.ca			
NERC Region		Registered Ballot Body Segment			
☐ ERCOT	\boxtimes	1 — Transmission Owners			
☐ FRCC		2 — RTOs and ISOs			
☐ MRO		3 — Load-serving Entities			
⊠ NPCC		4 — Transmission-dependent Utilities			
RFC		5 — Electric Generators			
☐ SERC		6 — Electricity Brokers, Aggregators, and Marketers			
SPP		7 — Large Electricity End Users			
☐ WECC		8 — Small Electricity End Users			
☐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities			
		10 — Regional Reliability Organizations and Regional Entities			

Group Comments (Complete this p	page if comments are from a group	o.)		
Group Name:				
Lead Contact:				
Contact Organization:				
Contact Segment:				
Contact Telephone:				
Contact E-mail:				
Additional Member Name	Additional Member Organization	Region*	Segment*	
François Gauthier	НОТ	NPCC	1	
Charles Sarthou	нот	NPCC	1	

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	Yes
	No No
	Comments: It is our belief that the Standard in its current form does provide adequate provisions and drivers to minimize vegetation related outages and eliminate the likelihood of reoccurence of the August 14, 2003 blackout. However, it is recognized that the industry needs to consolidate its view on these provisions and we support the preparation of a "white paper" that will document the rationale concerning the requirements of the standard, as well as review certain aspects of the standard that have come into question.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	Yes
	□ No
	Comments: We consider that it should be the Planning Coordinator role to determine the sub 200kV critical transmission lines and even for any transmission lines irrelevent of voltage level. For that, it should follow an impact based methodology such as the one used in NPCC.
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach. Yes
	□ No
	Comments: HQT clearance methodology is not specifically based on the value specified in Clearance 1 and Clearance 2. HQT TVMP is such organized that vegetation management work minimize costs for line clearing and brush control while preventing outages from vegetation cause. As such, staff qualifications required to work near energized facilities are less than under the absolute minimum as stipulated in IEEE 516-2003, and in most cases, the work is less labour and equipment intensive. However clearances are never less than the absolute minimum stipulated in FAC-003-1 (R1.2.2).
	The above provides the basic approach used at HQT. If the Standard Drafting Team would like a copy of the HQT approach and methodology, this could be provided.
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	⊠ Yes
	□ No
	Comments: Here are some general comments on the SAR:

- 1. In the purpose section of the SAR, item 1, we don't understand the substitution of BPS by «electric transmission system»; it seems like there is a will to make the Standards applicable to more than the BPS. It is our understanding that NERC Standards are aimed at the reliability of the BPS. The term BPS should be retained and instead of modifying the SAR to widen the applicability, the Standard itself should be modified to specifically used the term BPS in item A.3.
- 2. In the detailed description section, item 1, sub-bullett, it is written that:``...the SDT may consider other criteria in determining applicability of the Standard to sub 200 kV lines...``. We think that in item 4.3 (Applicability) of the existing Standard, there is already the possibility of applying the Standard to sub 200 kV lines if determined by RRO. This could be reworded by saying: «...as determined by a methodology to define BPS element»; such as the one used by NPCC.
- 3. We noticed that most Definitions (e.g. RC, IA, PC, RP, TP, TOp, DP, GO, GOp, PSE, MO (not even in the Glossary), LSE) used to described the Reliability Functions in the SAR form, are somewhat different than those used in the Glossary of Terms approved with the Standards deposited at the FERC. For consistency, if the definition needs to be changed, this should be done through the right process, not just casually in the SAR Form.
- 4. Also, although the title in that same section of the SAR form refers to Reliability Functions, these are in fact the Responsible Entity that performs those functions; maybe a correction in the SAR form would be necessary.

Individual Commenter Information			
(Complet	e thi	s page for comments from one organization or individual.)	
Name: Da	avid K	Ciguel	
Organization: Hy	/dro O	ne Networks Inc.	
Telephone: 41	6-345	-5313	
E-mail: Da	avid.Ki	guel@HydroOne.com	
NERC Region		Registered Ballot Body Segment	
☐ ERCOT		1 — Transmission Owners	
☐ FRCC		2 — RTOs and ISOs	
☐ MRO		3 — Load-serving Entities	
		4 — Transmission-dependent Utilities	
☐ RFC		5 — Electric Generators	
☐ SERC ☐		6 — Electricity Brokers, Aggregators, and Marketers	
∐ SPP		7 — Large Electricity End Users	
☐ WECC		8 — Small Electricity End Users	
∐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities	
		10 — Regional Reliability Organizations and Regional Entities	

Additional Member Organization	Region*	Segment*
Hydro One Networks Inc.	NPCC	1
	Organization	Organization

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	Yes
	No No
	Comments: It is our belief that the Standard in its current form does provide adequate provisions and drivers to minimize vegetation related outages and eliminate the likelihood of reoccurence of the August 14, 2003 blackout. However, it is recognized that the industry needs to consolidate its view on these provisions and we support the preparation of a "white paper" that will document the rationale concerning the requirements of the standard, as well as review certain aspects of the standard that have come into question.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	☐ Yes
	⊠ No
	Comments:
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach. Yes
	□ No
	Comments: Hydro One clearance standards are based on the Ontario Health and Safety Act (OHSA) clearances rather than the absolute minimum specified in Clearance 2. OHSA clearances at time of work minimize costs for line clearing and brush control. By maintaining OHSA clearances during normal working conditions, staff qualifications required to work near energized facilities are less than under the absolute minimum as stipulated in IEEE 515-3003, and in most cases, the work is less labour and equipment intensive. As part of work planning, qualified staff determine the amount of vegetation that has to be removed to achieve OHSA clearances at the time of the next scheduled work. As well, provisions are built into the clearances at time of work to account for conductor and tree movement during adverse weather conditions. The objective is to provide OHSA clearances under adverse conditions, but these are not always achieved, however clearances are never less than the absolute minimum stipulated in FAC-003-1.
	The above provides a description of our planning process. If the Standard Drafting Team would like a copy of the Hydro One standard, this can be provided.
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	□ No

Comments: We believe from a transmission system perspective, category 3 outages are no different than many of the other types of outages that take place on the system, such as hardware failures, lightning damage and station equipment outages to name a few. It is our understanding that there is no requirement to report these "other" outages which makes one wonder why the tree related outages that originate off the right of way need to be reported. We are not diminishing the importance of category 3 outages, but from a system cascading perspective, these outages are no more important than other line or station outages, and are fewer in number than the "other" random outages. To initiate system cascading as occurred during August 14, 2003, a number of the random outages would have to coincide to cause a wide spread system event, which in our opinion is a very low probability occurence. On the other hand, a category 1 outage can occur as a result of any system disturbance should there be deficiencies in clearances to vegetation, as such the importance of category 1 outages is apparent and reporting is appropriate. We support the review concerning the need to report category 3 outages and that the ultimate decision should be based on reporting rules that take into consideration the broader topic of reliability, rather than just vegetation related outages.

Individual Commenter Information			
(Comple	ete thi	s page for comments from one organization or individual.)	
Name:	Ron Fa	lsetti	
Organization:	IESO		
Telephone:	905-855	-6187	
E-mail:	ron.fals	setti@ieso.ca	
NERC Region		Registered Ballot Body Segment	
☐ ERCOT		1 — Transmission Owners	
☐ FRCC	\boxtimes	2 — RTOs and ISOs	
☐ MRO		3 — Load-serving Entities	
NPCC		4 — Transmission-dependent Utilities	
☐ RFC		5 — Electric Generators	
SERC		6 — Electricity Brokers, Aggregators, and Marketers	
∐ SPP		7 — Large Electricity End Users	
		8 — Small Electricity End Users	
∐ NA – No Applicable	ot	9 — Federal, State, Provincial Regulatory or other Government Entities	
		10 — Regional Reliability Organizations and Regional Entities	

Group Name:			
Lead Contact:			
Contact Organization:			
Contact Segment:			
Contact Telephone:			
Contact E-mail:			
Additional Member Name	Additional Member Organization	Region*	Segment*
	and anything the things and the		
*IC		and the second of the second o	£ 41

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9**, **2007**.

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the

1.	review of the standard?
	⊠ Yes
	□ No
	Comments:
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	Yes
	□ No
	Comments:
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.
	☐ No Comments:
	Confinents.
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	⊠ Yes
	□ No
	Comments:
	1. The SAR indicates that a list of critical low voltage transmission lines will be provided to FERC. We do not interpret Order 693 to direct NERC to provide this list. Rather, we interpret that FERC asks for defining a criteria that would include low voltage transmission lines that have impact on Bulk Power System reliability. We do not think the list is required.
	2. The SAR indicates: "The standard DT may consider other criteria in determining applicability of the standard to sub 200kV lines" Per Order 693, the criteria is quite clearly stated to be the transmission lines of less than 200 kV that could impact Bulk Power System reliability. We don't feel any other criteria would be necessary. Further, to identify the candidates that meet these criteria, we believe they should be

determined by the Reliability Coordinator, similar to the PRC-023 standard, since the RC has the primary responsibility and knowledge of interconnection reliability impact.

reporting of Category 3 events should be a must since the associated trends can provide valuable information to the TOs to aid its evaluation of the vegetation management program.

- 4. The white paper and field tests are a good idea and the SDT should be commended for these, especially the white paper.
- 5. Item 2 under the FERC Order 693 Items in the Detailed Description Section indicates the SDT will also collection outage data. While we understand that FERC has directed the ERO to collect outage data for transmission outages of lines that cross both federal and non-federal lands, we do not feel that it is the SDT's role to perform this task. We feel that this task should be performed by the ERO line functions or a group separate from the SDT such that the task does not add burden to the SDT which may slow down the standard development process or result in the standard development being driven by unanalyzed data and resulting in erroneous requirements.
- 6. With respect to reporting exemptions, our position during development of the previous version of this standard was to limit them. We commend the SDT intention to clarify the outage exemptions under major disasters, but to consider including all category outage exemptions in the standard body is too prescriptive and will add to the already extended list. It can end up with a very long list of outage exemptions, thereby reducing the coverage of the standard substantially and defeating its purpose.

Individual Commenter Information						
(Complete	(Complete this page for comments from one organization or individual.)					
Name:						
Organization:						
Telephone:						
E-mail:						
NERC Registered Ballot Body Segment Region						
☐ ERCOT		1 — Transmission Owners				
☐ FRCC	\boxtimes	2 — RTOs and ISOs				
☐ MRO		3 — Load-serving Entities				
□ RFC □ 5 □ SERC □ 6 □ SPP □ 7		4 — Transmission-dependent Utilities				
		5 — Electric Generators				
		6 — Electricity Brokers, Aggregators, and Marketers				
		7 — Large Electricity End Users				
		8 — Small Electricity End Users				
∐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities				
		10 — Regional Reliability Organizations and Regional Entities				

Group Name: IRC Standards Review Committee

Lead Contact: Charles Yeung

Contact Organization: SPP

Contact Segment: 2

Contact Telephone: 832-724-6142

Contact E-mail: cyeung@spp.org

Additional Member Name	Additional Member Organization	Region*	Segment*
Mike Calimano	NYISO	NPCC	2
Alicia Daugherty	PJM	RFC	2
Ron Falsetti	IESO	NPCC	2
Matt Goldberg	ISO-NE	NPCC	2
Brent Kingsford	CAISO	WECC	2
Steve Myers	ERCOT	ERCT	2
Anita Lee	AESO	WECC	2
Bill Phillips	MISO	RFC+	2
		MRO+	
		SERC	

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9**, **2007**.

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	∑ Yes
	∐ No
	Comments:
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	Yes
	□ No
	Comments: N/A
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.
	☐ Yes
	□ No
	Comments: N/A
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	⊠ Yes
	□ No
	Comments:
	1. The SAR indicates that a list of critical low voltage transmission lines will be provided to FERC. We do not interpret Order 693 to direct NERC to provide this list. Rather, we interpret that FERC asks for defining a criteria that would include low voltage transmission lines that have impact on Bulk Power System reliablity. We do not think the list is required.
	2. The SAR indicates: "The standard DT may consider other criteria in determining applicability of the standard to sub 200kV lines" Per Order 693, the criteria is quite clearly stated to be the transmission lines of less than 200 kV that could impact Bulk Power System reliability. We don't feel any other criteria would be necessary. Further,

to identify the candidates that meet this criteria, we believe they should be determined by the Reliability Coordinator, similar to the PRC-023 standard, since the RC has the

primary responsibility and knowledge of interconnection reliability impact.

reporting of Category 3 events should be a must since the associated trends can provide valuable information to the TOs to aid its evaluation of the vegetation management program.

- 4. The white paper and field tests are a good idea and the SDT should be commended for these, especially the white paper.
- 5. Item 2 under the FERC Order 693 Items in the Detailed Description Section indicates the SDT will also collect outage data. While we understand that FERC has directed the ERO to collect outage data for transmission outages of lines that cross both federal and non-federal lands, we do not feel that it is the SDT's role to perform this task. We feel that this task should be performed by the ERO or a group separate from the SDT such that the task does not add burden to the SDT which may slow down the standard development process or result in the standard development being driven by unanalyzed data and resulting in erroneous requirements.
- 6. With respect to reporting exemptions, our position during development of the previous version of this standard was to limit them. We commend the SDT intention to clarify the outage exemptions under major disasters, but to consider including all category outage exemptions in the standard body is too prescriptive and will add to the already extended list. It can end up with a very long list of outage exemptions, thereby reducing the coverage of the standard substatively and defeating its purpose. If this list was to be developed, they could be attached as guidelines aside of the standard.
- 7. The SAR DT states it will deal with "critical facilities". The SRC suggest that the DT not use the word "critical" and adopt another term.

There is a need to define in a single standard what the term "critical" means. Standards FAC-014 (R5.1.1); IRO-002-1 (R6) and others use the term "critical" as in: critical loads, critical infrastructure, critical assets. The Veg Management Team is asked to avoid making the current situation worse.

Individual Commenter Information			
(Comple	ete thi	s page for comments from one organization or individual.)	
Name:	Kathlee	n Goodman	
Organization:	ISO Nev	v England	
Telephone:	(413) 53	5-4111	
E-mail:	kgoodma	an@iso-ne.com	
NERC Region		Registered Ballot Body Segment	
☐ ERCOT		1 — Transmission Owners	
☐ FRCC	\boxtimes	2 — RTOs and ISOs	
☐ MRO		3 — Load-serving Entities	
\boxtimes NPCC		4 — Transmission-dependent Utilities	
RFC		5 — Electric Generators	
SERC		6 — Electricity Brokers, Aggregators, and Marketers	
☐ SPP		7 — Large Electricity End Users	
		8 — Small Electricity End Users	
∐ NA – No Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities	
		10 — Regional Reliability Organizations and Regional Entities	

Group Name:			
Lead Contact:			
Contact Organization:			
Contact Segment:			
Contact Telephone:			
Contact E-mail:			
Additional Member Name	Additional Member Organization	Region*	Segment*
		NPCC	

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the aforementioned items is needed to ensure reliability of the bulk power system.

١.	review of the standard?
	□ No
	Comments:
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	Yes
	□ No
	Comments:
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.
	Yes
	□ No
	Comments:
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	⊠ Yes
	□ No
	Comments: 1. The SAR indicates that a list of critical low voltage transmission lines will be provided to FERC. We do not interpret Order 693 to direct NERC to provide this list. Rather, we interpret that FERC asks for defining a criteria that would include low voltage transmission lines that have impact on Bulk Power System reliaiblity. We do not think the list is required.
	2. The SAR indicates: "The standard DT may consider other criteria in determining applicability of the standard to sub 200 kV lines" Per Order 693, the criteria is quite clearly stated to be the transmission lines of less than 200 kV that could impact Bulk Power System reliability. We don't feel any other criteria would be necessary. Further, to identify the candidates that meet this criteria, we believe they should be determined by the Reliability Coordinator, similar to the PRC-023 standard, since the RC has the primary responsibility and knowledge of interconnection reliability impact.
	3. We do not understand why the SDT considers removing Category 3 incidents. In our view, Category 3 outages are important information for assessing the effectiveness of a vegetation program. Since the industry started reporting vegetation-related outages

about 3 years ago, data collected so far indicates that of a total of 98 reported vegetation outages, 67 of them were category 3 outages. With this high percentage, reporting of Category 3 events should be a must since the associated trends can

provide valuable information to the TOs to aid its evaluation of the vegetation management program.

- 4. The white paper and field tests are a good idea and the SDT should be commended for these, especially the white paper.
- 5. Item 2 under the FERC Order 693 Items in the Detailed Description Section indicates the SDT will also collect outage data. While we understand that FERC has directed the ERO to collect outage data for transmission outages of lines that cross both federal and non-federal lands, we do not feel that it is the SDT's role to perform this task. We feel that this task should be performed by the ERO or a group separate from the SDT such that the task does not add burden to the SDT which may slow down the standard development process or result in the standard development being driven by unanalyzed data and resulting in erroneous requirements.
- 6. With respect to reporting exemptions, our position during development of the previous version of this standard was to limit them. We commend the SDT's intention to clarify the outage exemptions under major disasters, but to consider including all category outage exemptions in the standard body is too prescriptive and will add to the already extended list. It can end up with a very long list of outage exemptions, thereby reducing the coverage of the standard substatively and defeating its purpose. If this list was to be developed, they could be attached as guidelines aside of the standard.
- 7. The SAR DT states it will deal with "critical facilities" . The SRC suggest that the DT not use the word "critical" and adopt another term.

There is a need to define in a single standard what the term critical means. Standards FAC-014 (R5.1.1); IRO-002-1 (R6) and others use the term "critical" as in: critical loads, critical infrastructure, critical assets. This Team is asked to avoid making the current situation worse.

Individual Commenter Information			
(Complet	te thi	s page for comments from one organization or individual.)	
Name: R	obert	Coish	
Organization: M	anitoba	a Hydro	
Telephone: 1-	204-48	37-5479	
E-mail: rg	coish@	ହhydro.mb.ca	
NERC		Registered Ballot Body Segment	
Region			
☐ ERCOT	\boxtimes	1 — Transmission Owners	
☐ FRCC		2 — RTOs and ISOs	
oxtimes MRO	\boxtimes	3 — Load-serving Entities	
□ NPCC □ □ RFC ⊠ □ SERC □ □ SPP □		4 — Transmission-dependent Utilities	
		5 — Electric Generators	
		6 — Electricity Brokers, Aggregators, and Marketers	
		7 — Large Electricity End Users	
☐ WECC		8 — Small Electricity End Users	
∐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities	
		10 — Regional Reliability Organizations and Regional Entities	

Group Name:					
Lead Contact:					
Contact Organization:					
Contact Segment:					
Contact Telephone:					
Contact E-mail:					
Additional Member Name	Additional Member Organization	Region*	Segment*		

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the aforementioned items is needed to ensure reliability of the bulk power system.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	Comments: The definition of ROW should be clarified. The definition of a critical line should not be kept to a particular voltage threshold. However, consideration could also then be given to exempting non-critical lines operating at higher voltage levels(>200kv). Electrical clearances should be consistent whether on Federal or non-Federal land.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	Yes
	No No
	Comments:
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach. Yes
	□ No
	Comments: Clearance 1 was developed based on the limits of approach for non-qualified people (public). At a minimum, we would clear beyond this distance during vegetation control activities. Our cycle times and management approach are adjusted for this distance, taking into account growth rates. The values will vary depending on voltage class. Clearance 2 is based on internal design standards that take into account our understanding of switching surge values for our system. The values used are more conservative than IEEE 516-2003.
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	☐ Yes
	⊠ No
	Comments:

Individual Commenter Information					
(Comple	(Complete this page for comments from one organization or individual.)				
Name: T	homas	s E. Sullivan			
Organization: N	ational	Grid			
Telephone: 50	08-389	-9086			
E-mail: th	omas.	sullivan@us.ngrid.com			
NERC Registered Ballot Body Segment Region					
☐ ERCOT		1 — Transmission Owners			
☐ FRCC		2 — RTOs and ISOs			
☐ MRO		3 — Load-serving Entities			
⊠ NPCC		4 — Transmission-dependent Utilities			
RFC SERC		5 — Electric Generators			
		6 — Electricity Brokers, Aggregators, and Marketers			
∐ SPP		7 — Large Electricity End Users			
☐ WECC		8 — Small Electricity End Users			
☐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities			
		10 — Regional Reliability Organizations and Regional Entities			

Group Name:			
Lead Contact:			
Contact Organization:			
Contact Segment:			
Contact Telephone:			
Contact E-mail:			
Additional Member Name	Additional Member Organization	Region*	Segment*
	and anything the thinks have the		
*IC		and the second of the second o	£ 41

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the aforementioned items is needed to ensure reliability of the bulk power system.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?			
	☐ Yes			
	⊠ No			
	Comments: National Grid believes that compliance with all elements of the present Standard will result in TO's achieving the reliability objectives set forth in the Standard.			
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?			
	Yes			
	⊠ No			
	Comments: The Reliability Entity has not provided a list of sub 200 kV lines subject to compliance with FAC-003-1. The Standard became effective in February 2007, just 3 months ago. Having no list today should not imply that the RE or the Standard has failed in any way. National Grid suggests that a revised Standard should direct the RE to produce a list of "sub 200 kV critical transmission lines" within 6 to 12 months of adoption.			
3.	If you are a transmission owner would you provide your methodology for			
	determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.			
	☐ Yes			
	□ No			
	Comments: Detailed methodology is not attached. In summary, National Grid used Table 5 IEEE Section 516 for determing clearance 2. These data for each voltage class were rounded to the next higher whole number. Clearance 1 was determined by adding the clearance 2 distance, conductor sag distance, and anticipated tree growth over the maintenance cycle.			
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?			
	⊠ Yes			
	□ No			
	Comments: 1) National Grid supports amending FAC-003-1 to bring the Standard into compliance with "latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines" as discussed in the SAR Background Information. 2) We do not support amendments to the Standard to address all of the issues raised by FERC Order 693. We believe most of the FERC's concerns can be addressed by developing a "white paper" to better explain the Standard and guide its implementation.			
	3) National Grid does not support changing the basic approach to defining clearance from vegetation. The clearance 1 and clearance 2 concept adopts the two management			

approaches used by most TO's today and required in some state or ISO level

standards. National Grid supports using the reference to IEEE 516 as the basis for clearance 2 for two reasons: 1 - there is no other definitive reference for flash over distances to vegetation and 2- decades of experience by TO's acrosss the North America suggest the IEEE 516 distances are more than adequate. The well known tree caused outages in 1996 and 2003 occurred as a result of hard contact with vegetation not flashover at distances close to those in IEEE 516. Furthermore, FERC accepted IEEE 516 as appropriate for use in vegetation management in the October 2006, NOPR. 4) National Grid supports amending the definition of a right-of-way though we are not clear on what is meant in the SAR language by "to encompass required clearing areas". National Grid is concerned with the interpretation of the present definition that the right-of-way includes uncleared fee owned or easement land reserved for future construction. In many jurisdictions the TO may not be allowed to remove trees from these areas. A "white paper" could better describe the definition and prevent future compliance issues stemming from an ambiguous definition.

Individual Commenter Information						
(Complete	(Complete this page for comments from one organization or individual.)					
Name: Mid	chael	Calimano				
Organization: Ne	w Yo	rk Indepentant System Operator				
Telephone: 51	8-35	6-6129				
E-mail: mo	alim	ano@nyiso.com				
NERC		Registered Ballot Body Segment				
Region						
☐ ERCOT		1 — Transmission Owners				
☐ FRCC	\boxtimes	2 — RTOs and ISOs				
☐ MRO		3 — Load-serving Entities				
⊠ NPCC		4 — Transmission-dependent Utilities				
□ RFC □ 5 — Electric Generators □ SERC □ 6 — Electricity Brokers, Aggregators, and Marketers □ SPP □ 7 — Large Electricity End Users □ WECC □ 8 — Small Electricity End Users		5 — Electric Generators				
		6 — Electricity Brokers, Aggregators, and Marketers				
		7 — Large Electricity End Users				
		8 — Small Electricity End Users				
∐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities				
		10 — Regional Reliability Organizations and Regional Entities				

Group Name:			
Lead Contact:			
Contact Organization:			
Contact Segment:			
Contact Telephone:			
Contact E-mail:			
Additional Member Name	Additional Member Organization	Region*	Segment*

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9**, **2007**.

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	∑ Yes
	∐ No
	Comments:
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	Yes
	□ No
	Comments: N/A
_	
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.
	☐ Yes
	□ No
	Comments: N/A
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	⊠ Yes
	□ No
	Comments:
	1. The SAR indicates that a list of critical low voltage transmission lines will be provided to FERC. We do not interpret Order 693 to direct NERC to provide this list. Rather, we interpret that FERC asks for defining a criteria that would include low voltage transmission lines that have impact on Bulk Power System reliablity. We do not think the list is required.
	2. The SAR indicates: "The standard DT may consider other criteria in determining applicability of the standard to sub 200kV lines" Per Order 693, the criteria is quite clearly stated to be the transmission lines of less than 200 kV that could impact Bulk Power System reliability. We don't feel any other criteria would be necessary. Further,

to identify the candidates that meet this criteria, we believe they should be determined by the Reliability Coordinator, similar to the PRC-023 standard, since the RC has the

primary responsibility and knowledge of interconnection reliability impact.

reporting of Category 3 events should be a must since the associated trends can provide valuable information to the TOs to aid its evaluation of the vegetation management program.

- 4. The white paper and field tests are a good idea and the SDT should be commended for these, especially the white paper.
- 5. Item 2 under the FERC Order 693 Items in the Detailed Description Section indicates the SDT will also collect outage data. While we understand that FERC has directed the ERO to collect outage data for transmission outages of lines that cross both federal and non-federal lands, we do not feel that it is the SDT's role to perform this task. We feel that this task should be performed by the ERO or a group separate from the SDT such that the task does not add burden to the SDT which may slow down the standard development process or result in the standard development being driven by unanalyzed data and resulting in erroneous requirements.
- 6. With respect to reporting exemptions, our position during development of the previous version of this standard was to limit them. We commend the SDT intention to clarify the outage exemptions under major disasters, but to consider including all category outage exemptions in the standard body is too prescriptive and will add to the already extended list. It can end up with a very long list of outage exemptions, thereby reducing the coverage of the standard substatively and defeating its purpose. If this list was to be developed, they could be attached as guidelines aside of the standard.

Individual Commenter Information				
(Comple	(Complete this page for comments from one organization or individual.)			
Name: Anth		y Johnson		
Organization: I	Vortheas	st Utilities		
Telephone: 860-665-3858				
E-mail:	JOHNSA	AW@nu.com		
NERC Region		Registered Ballot Body Segment		
☐ ERCOT		1 — Transmission Owners		
☐ FRCC		2 — RTOs and ISOs		
☐ MRO		3 — Load-serving Entities		
		4 — Transmission-dependent Utilities		
☐ RFC		5 — Electric Generators		
SERC		6 — Electricity Brokers, Aggregators, and Marketers		
∐ SPP		7 — Large Electricity End Users		
		8 — Small Electricity End Users		
∐ NA – No Applicable	' ^t	9 — Federal, State, Provincial Regulatory or other Government Entities		
		10 — Regional Reliability Organizations and Regional Entities		

Group Name:			
Lead Contact:			
Contact Organization:			
Contact Segment:			
Contact Telephone:			
Contact E-mail:			
Additional Member Name	Additional Member Organization	Region*	Segment*
	and anything the thinks have the		
*IC		and the second of the second o	£ 41

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the aforementioned items is needed to ensure reliability of the bulk power system.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	Yes
	⊠ No
	Comments: Proposed modifications do not increase the levels of reliability above what is already required in the current version of the Stnadard.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	Yes
	⊠ No
	Comments: The Reliability Entity has not provided a list of facilities covered under FAC-003-1. This is not a fault of the RE as there has been no direction provided as to what factors or charateristics are required for sub-200kV lines to be included under the Standard. It is our position that the factors that will be used to develop the list of sub-200kV facilities to be covered by the Standard be developed at the national level (NERC) and adopted by all RE's for consistency.
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach. Yes
	□ No
	Comments: The methodology for determining clearance 2 is based on the requirements of FAC-003-1. The IEEE Section 516 has been considered the base minimum limits for clearances as provided under FAC-003-1 R.1.2.2. Clearances used for R.1.2.1 on the NU Transmission System comply with the requirements of ISO-NE Operating Procedure OP-3, that provides clearance levels required at the time of vegetation trimming or clearing under the various transmission voltages.
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	□ No
	Comments: NU does not support the proposed revisions based on the issues raised by FERC Order 693. The Standard has not been in effect long enough to determine if there are any shortcomings with the current requirements. It is our position that the current clearance requirements are satisfactory in that a base minimum distance as provided under IEEE Section 516 is sufficient and there is the need for variations in the second level of clearances base on Regional needs and conditions.

The revisions to the definition of "right-of-way" to encompass required clearance areas canbe problematic as this could cause significant problems with current systems. There is no detailed description on what the new defition will include or what the actual

impact will be to TO's. If the definition will include defined limits or widths of rights-of-way this may affect current facilities that do not meet these distances. Second, there are areas where the company owns or possesses additional area beyond the current maintained right-of-way widths. Is it proposed that the new definition expand the limits of clearing or maintenance to include easemented or fee-owned areas beyond the current maintained limits? Until the new definition can be presented - it is difficult to support any changes at this time and we can only comment on the percevied negative impacts.

Individual Commenter Information				
(Comple	(Complete this page for comments from one organization or individual.)			
Name: Stephen Tankersley				
Organization: Pacific Gas and Electric Company				
Telephone: 916.408.3206				
E-mail: sa	at2@po	ge.com		
NERC		Registered Ballot Body Segment		
Region				
☐ ERCOT		1 — Transmission Owners		
☐ FRCC		2 — RTOs and ISOs		
☐ MRO		3 — Load-serving Entities		
		4 — Transmission-dependent Utilities		
☐ RFC		5 — Electric Generators		
☐ SERC		6 — Electricity Brokers, Aggregators, and Marketers		
		7 — Large Electricity End Users		
⊠ WECC		8 — Small Electricity End Users		
∐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities		
		10 — Regional Reliability Organizations and Regional Entities		

Additional Member Organization	Region*	Segment*
		Additional Member Organization Region*

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the aforementioned items is needed to ensure reliability of the bulk power system.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	⊠ Yes
	□ No
	Comments: As stated in the SAR
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	∑ Yes
	□ No
	Comments: Provided from WECC
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.
	∑ Yes
	□ No
	Comments: Will be provided to the SARDT in a separate attachment
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	□ No
	Comments: 1) Applicability 4.3 of the standard - PG&E believes the RE is in the best position to determine sub-200kV facilities are designated critical and covered under FAC-003-1. We suggest the ERO direct the RE to provide a list of sub-200kV lines designated critical along with methodology used to make that determination.
	2) Clearances for lines on federal and non-federal lands - PG&E believes there should be no distinction between requirements on different lands. Vegetation encroachments have the same impact regardless of land ownership.
	3) Definition of right of way - agreed
	4) Suitability of IEEE 516-2003 - PG&E believes the use of IEEE 516 as the standard for clearance requirements are adequate to ensure transmission system reliability provided the TO has an appropriate methodology for determining clearance at time of trim and an adequate cycle to prevent vegetation from encroaching within minimum distances. Use of ANSI Z133.3 or FedOSHA 1910, as suggested by FERC, is not appropriate as it is intended for worker safety and not system reliability. TO compliance with R1.2 of the standard should address concerns FERC has with maintaining minimum clearance.

5-7) Procedural items - No comment

- 8) Preparation of technical manual (white paper) agreed
- 9) PG&E believes the current reporting requirements under R3 of the standard should be revised. Distinction is placed on fall-in's "in and out of the ROW" and may not be the best method for determining severity for reporting purposes. PG&E believes a better distinction is (a) green/healthy/no obvious decline and (b) dead or obvious signs of disease, decay or decline. A key component of any TMVP should be hazard tree mitigation regardless if in or out of the ROW. Suggested categories:

Category 1 - Any grow-in (as currently stated).

Category 2 - Any fall-in of a dead tree or one with obvious signs of disease, decay or decline in or out of the ROW.

Category 3 - Either eliminate this category or specify healthy green tree or tree with no obvious signs of decline (if retained, be specific about this being for reporting purposes only)

PG&E recognizes that tree failures, even if dead or diseased, are not necessarily an indicator of problematic VM program and the severity level should be reflected as such. Tree density along with other factors make 100% identification not possible. However, multiple occurrences could be an indicator of substandard performance and the current standard does remains silent in respect to hazard trees other than if in or out of the ROW.

Individual Commenter Information				
(Comple	(Complete this page for comments from one organization or individual.)			
Name: J	Name: Jack Gardner/John Pinney			
Organization: Progress Energy Carolinas/Progress Energy Florida				
Telephone: 9	Telephone: 919-329-5922/727-372-5112			
E-mail: ja	ack.gar	dner@pgnmail.com and john.pinney@pgnmail.com		
NERC Region		Registered Ballot Body Segment		
☐ ERCOT		1 — Transmission Owners		
⊠ FRCC		2 — RTOs and ISOs		
☐ MRO		3 — Load-serving Entities		
		4 — Transmission-dependent Utilities		
RFC		5 — Electric Generators		
⊠ SERC		6 — Electricity Brokers, Aggregators, and Marketers		
☐ SPP		7 — Large Electricity End Users		
☐ WECC		8 — Small Electricity End Users		
☐ NA – No Applicable	t 🔲	9 — Federal, State, Provincial Regulatory or other Government Entities		
		10 — Regional Reliability Organizations and Regional Entities		

Group Name:			
Lead Contact:			
Contact Organization:			
Contact Segment:			
Contact Telephone:			
Contact E-mail:			
Additional Member Name	Additional Member Organization	Region*	Segment*

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

The SAR drafting team consensus is that modification of FAC-003-1 to address the aforementioned items is needed to ensure reliability of the bulk power system.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	☐ Yes ☐ No
	Comments: Progress Energy Carolinas and Progress Energy Florida are providing an answer to the question as it relates to the reliability need. The current standard contains appropriate requirements and measures to ensure the Transmission Owner's vegetation management program is implemented and managed to ensure the reliability of the transmission system. In addition, we do not believe that a standard with a zero tolerance for vegetation-related outages in the ROW is in need of reliability-based revisions.
	However, we do recognize the need for a revision of the standard to address non-reliability related items that are in the SAR. Procedural items such as formatting and clarifications, such as the definition of right-of-way, need to be, and should be, addressed.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	☐ Yes
	⊠ No
	Comments: The SERC and FRCC regions have not identified any lines below 200kV to be critical to the electrical system in the region. Since no lines have been identified as critical to the region, no list has been provided to Progress Energy Carolinas and Progress Energy Florida. (please note our comments on this issue in question #4)
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach. Yes
	□ No
	Comments: Progress Energy has an individual on the Drafting Team and will share the Progress Energy Florida clearance Tables with the team.
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	⊠ Yes
	□ No
	Comments: Progress Energy Carolinas (PEC) and Progress Energy Florida (PEF) do not agree that each of 11 items listed in the SAR are necessary to improve reliability. The following comments are offered for each of the 11 items identified in the SAR detail description:
	Standard Applicability:

PEC and PEF believe that the current standard wording for determining facilities subject to this standard should not be revised. The standard as it is written provides for lines below 200kV, that are determined to impact the grid, to be subject to the standard.

Extending the requirements to a bright line below 200kV, such as 100kV, will dilute the focus on those lines that impact grid reliability, lines >200kV, and shift attention to facilities, those <200kV, that do not necessarily impact grid reliability. Customer reliability is an issue that impacts customer satisfaction and is generally driven by state utility commissions. While some facilities above 200kV directly support customer load, transmission lines below 200kV primarily support customer load, and interruptions to those facilities generally reduce load on the grid.

The majority of transmission facilities below 200 kV also have significantly different design/construction/operating characteristics and have not been cited as impacting bulk power system reliability. For example, the Final Report on the August 14, 2003 Blackout in the United states and Canada: Causes and Recommendations April 2004 by the U.S.- Canada Power System Outage Task Force and all referenced major blackouts (pages 103-115) in that report, cited only outages which involved vegetation at line voltages above 200kV. Generally applying requirements that are appropriate for >200kV lines to lines less than 200kV will result in significant documentation and reporting of items such as restrictions, mitigation plans, off right-of-way vegetation-related outage investigation/ information and other issues, all of which dilutes the focus on lines that directly impact bulk power system reliability.

Revising the standard to use general criteria or broad language for defining "Bulk Power System" transmission lines covered by the standard is a "one size fits all" approach. If that approach were taken, the standard would cover a significant number of transmission lines that have no direct impact on bulk power system reliability under standard planning/operating conditions, resulting in a significant cost burden for electric customers without improving "grid" reliability. PEC and PEF believe that the applicability provision of the standard should instead focus attention of the standard only on the transmission lines below 200kV that directly impact "Bulk Power System" reliability, as the current version requires.

While PEC and PEF recognize some validity in the Commission's concern, PEC and PEF recommend that the applicability provision of this standard should be revised only if existing system design, planning or operating reliability criteria and parameters are considered as a basis for defining the applicability of the standard. To that end, PEC and PEF recommend each Regional Entity (RE) determine applicability of FAC-003 to those lines within the region that are between 100kV and 200kV, if, and only if, they are identified as operationally significant elements of Interconnection Reliability Operating Limits ("IROLs"). That is, any facility below 200kV that, by itself, would cause an Interconnected Reliability Limit Violation should the facility be outaged.

2. Issue of Clearances (Federal vs Non-Federal Lands):

FAC-003-1 presently requires the transmission owner (TO) "identify and document clearances between vegetation and any overhead, ungrounded supply conductors, taking into consideration transmission line voltage, the effects of ambient temperature on conductor sag under maximum design loading, and the effects of wind velocities on conductor sway." The intent of this requirement is to ensure adequate clearances to prevent vegetation related outages. PEC and PEF believe that only the TO has the

technical information required to determine the clearances that are necessary at the time of VM work and that any "federal lands exemption" to clearances will result in inadequate clearances for the existing conditions. Consistency in application of the TO's clearance requirements, not exceptions, is the only assurance in providing a uniform and reliable electrical system to meet the nation's current and future energy demands.

Any exception for a case by case clearance approach to determine vegetation management activities/clearances on Federal lands will continue to drive inconsistency and/or delays associated with TO vegetation management decisions being driven by diverse vegetation management practices/beliefs and staff changes at the local level of Federal agencies. Vegetation-related outages have occurred on Federal lands as a result of this case by case approach, and if "Bulk Power Transmission System" lines continue to be addressed on a "case by case" basis on National Forest Service (or any other Federal lands), those lines will potentially be subject to a higher risk for vegetation-related outages, resulting in reduced reliability for the "Bulk Power System".

PEC and PEF believe that reliability of the "Bulk Power System" should have the same focus on Federal and private lands and that the EEI MOU with federal agencies is an appropriate avenue for TO's to identify clearances on Federal lands, not an exemption in the language of a reliability standard.

3. Defining Right-of-Way:

PEC and PEF agree that it is appropriate to further address the definition of "right-of-way". Corridor widths that exceed the design clearance requirements have been acquired for a variety of reasons in the past; future use, property line buffers, etc. Vegetation in those areas that would normally be outside of the corridor width necessary for reliable operation of the facility, but within an expanded easement area, should not be considered, or treated, different than vegetation that is outside of a defined easement/permit right-of-way corridor that was designed and acquired specifically for the reliable operation of a single line.

4. IEEE Standard for Minimum Clearances:

PEC and PEF believe that the IEEE 516-2003 tables are appropriate for defining the minimum acceptable clearances to prevent flashover between conductors and vegetation under all rated electrical operating conditions. Closer minimum clearances such as the minimum length of a support insulator could have been adopted as a "lowest common denominator" clearance. However the clearance in IEEE 516-2003 was adopted to ensure an additional margin of reliability. FERC staff has made references to the use of ANSI Z-133 which is a safety standard that addresses worker safety as well as the safety of the general public. The purpose of ANSI Z-133 is to address worker safety and is not focused on transmission line reliability, which is the purpose of FAC-003-1. OSHA, NESC and other related safety standards have clearances in excess of IEEE 516-2003. Those clearances are clearly focused on safety issues and will still apply to other aspects of design and operation of electric facilities (such as public and worker safety) but are not appropriate to be referenced in a vegetation management reliability standard as a flashover clearance.

5/6/7. Procedural Items:

PEC and PEF agree that the procedural items related to formatting RRO references and revising the compliance elements to meet the new standard format should be addressed by the standard drafting team.

8. Technical Reference Materials:

PEC and PEF agree that a "white paper" that defines the technical basis for the standard is appropriate. This type of document, if crafted by the drafting team, should help to avoid the potential for differences in interpretation of the standard's requirements by the various regions during the audit process.

9. Category 3 Outages:

Since control off right-of-way vegetation is generally beyond control of the TO and since "fall-in" outages are random events that do not threaten grid reliability, PEC and PEF believe that the reporting of category 3 outages should be removed from the requirements.

10. Requirement R4:

PEC and PEF believe that requirement R4 should be deleted from the standard, since the ERO formation provides for delegation of authority to the regional entities.

11. Reporting Exemptions:

PEC and PEF believe that the reporting requirement exemptions for natural disasters should include all categories of outages. For example, with outages caused by high winds, hurricanes, tornadoes, etc., it would be difficult (or practically impossible in some cases) to determine if the vegetation came from on, or off, the "right-of-way". In addition, the effort and time necessary to make that determination would result in delaying outage restoration efforts.

Individual Commenter Information			
(Complete	e thi	s page for comments from one organization or individual.)	
Name:			
Organization:			
Telephone:			
E-mail:			
NERC Region		Registered Ballot Body Segment	
☐ ERCOT		1 — Transmission Owners	
☐ FRCC		2 — RTOs and ISOs	
☐ MRO		3 — Load-serving Entities	
☐ NPCC		4 — Transmission-dependent Utilities	
RFC		5 — Electric Generators	
☐ SERC		6 — Electricity Brokers, Aggregators, and Marketers	
SPP		7 — Large Electricity End Users	
☐ WECC		8 — Small Electricity End Users	
∐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities	
		10 — Regional Reliability Organizations and Regional Entities	

Group Name: Public Service Commission of South Carolina

Lead Contact: Philip Riley

Contact Organization: Public Service Commission of South Carolina

Contact Segment: 9

Contact Telephone: 803-896-5154

Contact E-mail: philip.riley@psc.sc.gov

pilipi	e) Speciesige:		
Additional Member Name	Additional Member Organization	Region*	Segment*
Mignon L. Clyburn	Public Service Commission of SC	SERC	9
Elizabeth B. "Lib" Fleming	Public Service Commission of SC	SERC	9
G. O'Neal Hamilton	Public Service Commission of SC	SERC	9
John E. "Butch" Howard	Public Service Commission of SC	SERC	9
Randy Mitchell	Public Service Commission of SC	SERC	9
C. Robert "Bob" Moseley	Public Service Commission of SC	SERC	9
David A. Wright	Public Service Commission of SC	SERC	9
		l	<u> </u>

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

Comment Form — Transmission Vegetation Management SAR

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	□ No
	Comments:
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	Yes
	□ No
	Comments:
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.
	Yes
	□ No
	Comments:
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	☐ Yes
	⊠ No
	Comments:

Individual Commenter Information			
(Complete	e thi	s page for comments from one organization or individual.)	
Name:			
Organization:			
Telephone:			
E-mail:			
NERC Region		Registered Ballot Body Segment	
☐ ERCOT		1 — Transmission Owners	
☐ FRCC		2 — RTOs and ISOs	
☐ MRO		3 — Load-serving Entities	
☐ NPCC		4 — Transmission-dependent Utilities	
RFC		5 — Electric Generators	
☐ SERC		6 — Electricity Brokers, Aggregators, and Marketers	
SPP		7 — Large Electricity End Users	
☐ WECC		8 — Small Electricity End Users	
∐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities	
		10 — Regional Reliability Organizations and Regional Entities	

Group Name: SERC Vegetation Management Subcommittee

Lead Contact: Richard Dearman

Contact Organization: SERC Engineering Committee, Vegetation Management

Subcommittee

Contact Segment: 1

Contact Telephone: (256) 519-2067

Contact E-mail: redearman@tva.gov

Additional Member Name	Additional Member	Region*	Segment*
Additional Wember Name	Organization	kegion*	segment*
Jay Farrington	Alabama Electric Cooperative, I.	SERC	1
Randy Gann	Alabama Power Co.	SERC	1
Raymond Wiesehan	Ameren	SERC	1
John Neagle	Associated Electric Coop	SERC	1
Billy George	Duke Energy, Carolinas	SERC	1
Ralph Hale	Entergy	SERC	1
Marc Tunstall	Fayetteville Public Works Comm	SERC	1
Jack Gardner	Progress Energy Carolinas	SERC	1
Jerry Lindler	South Carolina Electric & Gas	SERC	1
John Wolfmeyer	SERC Reliability Corporation	SERC	10

*If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

١.	review of the standard?
	☐ Yes
	⊠ No
	Comments: The SERC VMS is providing an answer to the question as it relates to the reliability need. The current standard contains appropriate requirements and measures to ensure the Transmission Owner's vegetation management program is implemented and managed to ensure the reliability of the transmission system. In addition, we do not believe that a standard with a zero tolerance for vegetation-related outages in the ROW is in need of reliability-based revisions.
	However the SERC VMS recognizes the need for a revision of the standard to address non-reliability related items that are in the SAR. Procedural items such as formatting and clarifications, such as the definition of right-of-way, need to be, and should be, addressed.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	Yes
	⊠ No
	Comments: The SERC region has not identified any lines below 200kV to be critical to the electrical system in the region. Since no lines have been identified as critical to the region, no list has been provided to Transmission Owners. (please note the subcommittee's comments on this issue in question #4)
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.
	□ No
	Comments: This question does not apply to the SERC EC Vegetation Mangement Subcommittee.
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	Yes
	□ No
	Comments: The SERC VMS does not agree that each of 11 items listed in the SAR are necessary to improve reliability. The following comments are offered for each of the 11 items identified in the SAR detail description:
	1. Standard Applicability:

The SERC VMS disagrees with revising the 200 kV threshold for determining facilities subject to this standard. Extending the requirements to lines other than those >200kV will dilute the focus on those lines that impact grid reliability and shift attention to facilities, those <200kV. The reliability of lower voltage lines involves local customers' reliability and satisfaction hence that reliability should be addressed by local and state utility commissions. The majority of the >200kV lines are solely elements of the grid and and interruptions to those lines negatively impact grid reliability. The majority of the <200kV lines primarily support customer load, and interruptions to those facilities actually reduces load on the grid.

The majority of transmission facilities below 200 kV also have significantly different design/construction/operating characteristics and have not been cited as impacting bulk power system reliability. For example, the Final Report on the August 14, 2003 Blackout in the United states and Canada: Causes and Recommendations April 2004 by the U.S.- Canada Power System Outage Task Force and all referenced major blackouts (pages 103-115) in that report, cited only outages which involved vegetation at line voltages above 200kV. Generally applying requirements that are appropriate for >200kV lines to lines less than 200kV will result in significant documentation and reporting of items such as restrictions, mitigation plans, off right-of-way vegetation-related outage investigation/ information and other issues, all of which dilutes the focus on lines that directly impact bulk power system reliability.

Revising the standard to use general criteria or broad language for defining "Bulk Power System" transmission lines covered by the standard is a "one size fits all" approach. If that approach were taken, the standard would cover a significant number of transmission lines that have no direct impact on bulk power system reliability under standard planning/operating conditions, resulting in a significant cost burden for electric customers without improving "grid" reliability. The SERC VMS believes that the applicability provision of the standard should instead focus attention of the standard only on the transmission lines below 200kV that directly impact "Bulk Power System" reliability, as the current version requires.

In sum, while the SERC VMS recognizes some validity in the Commission's concern, the SERC VMS recommends that the applicability provision of this standard should be revised only if existing system design, planning or operating reliability criteria and parameters are considered as a basis for defining the applicability of the standard. To that end, the SERC VMS recommends each Regional Entity (RE) determine applicability of FAC-003 to those lines within the region that are between 100kV and 200kV, if, and only if, they are identified as operationally significant elements of Interconnection Reliability Operating Limits ("IROLs"). That is, any facility below 200kV that by itself would cause an Interconnected Reliability Limit Violation should the facility be outaged.

2. Issue of Clearances (Federal vs Non-Federal Lands):

FAC-003-1 presently requires the transmission owner (TO) "identify and document clearances between vegetation and any overhead, ungrounded supply conductors, taking into consideration transmission line voltage, the effects of ambient temperature on conductor sag under maximum design loading, and the effects of wind velocities on conductor sway." The intent of this requirement is to ensure adequate clearances to prevent vegetation related outages. The SERC VMS believes that only the TO has the technical information required to determine the clearances that are necessary at the time of VM work and that any "federal lands exemption" to clearances will result in

inadequate clearances for the existing conditions. Consistency in application of the TO's clearance requirements, not exceptions, is the only assurance in providing a uniform and reliable electrical system to meet the nation's current and future energy demands.

Any exception for a case by case clearance approach to determine vegetation management activities/clearances on Federal lands will continue to drive inconsistency and/or delays associated with TO vegetation management decisions being driven by diverse vegetation management practices/beliefs and staff changes at the local level of Federal agencies. Vegetation-related outages have occurred on Federal lands as a result of this case by case approach, and if "Bulk Power Transmission System" lines continue to be addressed on a "case by case" basis on National Forest Service (or any other Federal lands), those lines will potentially be subject to a higher risk for vegetation-related outages, resulting in reduced reliability for the "Bulk Power System".

The SERC VMS believes that reliability of the "Bulk Power System" should have the same focus on Federal and private lands and that the EEI MOU with federal agencies is the appropriate vehicle for TO's to identify clearance variances on Ferderal lands, not exemption language in the standard.

3. Defining Right-of-Way:

The SERC VMS agrees that it is appropriate to further address the definition of "right-of-way". Corridor widths beyond design clearance requirements have been acquired for a variety of reasons in the past; future use, property line buffers, etc. Vegetation in those areas that would normally fall outside of the area necessary for operation of the facility should not be considered or treated different than vegetation that is outside of a defined easement/permit area that is designed for the reliable operation of an existing single line corridor.

4. IEEE Standard for Minimum Clearances:

The SERC VMS disagrees with objections to the use of the IEEE 516-2003 clearance as the minimum acceptable distances for "Clearance 2". The IEEE 516-2003 tables are appropriate for defining the minimum acceptable clearances to prevent flashover between conductors and vegetation under all rated electrical operating conditions. Closer minimum clearances such as the minimum length of a support insulator could have been adopted as a "lowest common denominator" clearance. However the clearance in IEEE 516-2003 was adopted to ensure an additional margin of reliability. FERC staff references ANSI Z-133 which is a safety standard that addresses worker safety as well as the safety of the general public. As such, the purpose of ANSI Z-133 is to address worker safety and is not focused on transmission line reliability, which is the purpose of FAC-003-1. OSHA, NESC and other related safety standards have clearances in excess of IEEE 516-2003. Those clearances are clearly focused on safety issues and will still apply to other aspects of design and operation of electric facilities (such as public and worker safety) but are not appropriate to be referenced in a vegetation management reliability standard.

5/6/7. Procedural Items:

The SERC VMS agrees that the procedural items related to formatting RRO references and additional compliance elements should be addressed by the standard drafting team.

8. Technical Reference Materials:

The SERC VMS agrees that a "white paper" that defines the technical basis for the standard is appropriate to avoid the potential for differences in interpretation of the standard's requirements during the various region's audit processes.

9. Category 3 Outages:

Since the right to control off right-of-way vegetation is generally beyond control of the TO, the SERC VMS believes that the reporting of category 3 outages should be removed from the requirements.

10. Requirement R4:

The SERC VMS believes that requirement R4 should be deleted from the standard, based on the ERO formation and the process for delegation of authority to the regional entities.

11. Reporting Exemptions:

The SERC VMS believes that the reporting requirement exemptions for natural disasters should include all categories of outages. It would, for example, be difficult, without delaying restoration efforts, to determine if the vegetation from high winds, hurricanes, tornadoes, etc. is from on or off the "right-of-way".

Individual Commenter Information			
(Complete	e thi	s page for comments from one organization or individual.)	
Name:			
Organization:			
Telephone:			
E-mail:			
NERC Region		Registered Ballot Body Segment	
☐ ERCOT		1 — Transmission Owners	
☐ FRCC		2 — RTOs and ISOs	
☐ MRO		3 — Load-serving Entities	
☐ NPCC		4 — Transmission-dependent Utilities	
RFC		5 — Electric Generators	
⊠ SERC		6 — Electricity Brokers, Aggregators, and Marketers	
SPP		7 — Large Electricity End Users	
☐ WECC		8 — Small Electricity End Users	
∐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities	
		10 — Regional Reliability Organizations and Regional Entities	

Group Name: Southern Company Transmission

Lead Contact: Roman Carter

Contact Organization: Southern Company Transmission

Contact Segment: 1

Contact Telephone: 205.257.6027

Contact E-mail: jrcarter@southernco.com

Additional Member Name	Additional Member Organization	Region*	Segment*
Steve Burns	Gulf Power Co.	SERC	1
Randall Gann	Alabama Power Co.	SERC	1
Steve Craig	Mississippi Power Co.	SERC	1
Ron Reinike	Mississippi Power Co.	SERC	1
Ken Trump	Gulf Power Co.	SERC	1
Nancy Huddleston	Georgia Power Co.	SERC	1

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	☐ Yes ☐ No
	Comments: We do not feel there is a reliability need for modifying the standard. However, we do agree certain modifications are needed to clarify procedural issues such as the amount of time allowed for taking corrective action when items are found to be out of compliance.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	⊠ Yes
	⊠ No
	Comments: We are not really sure how to answer this question. The Regional Entity has not sent us a list, but they have advised us that we do not have any sub 200 kv critical transmisison lines that must comply with FAC-003-1.
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.
	∑ Yes
	□ No Comments: IEEE 516-2003, Section 4.2.2.3 was adopted as the minimum allowable distance for Clearance 2, with the expectation that work would normally occur prior to Clearance 2 reaching the minimum allowable distance. Clearance 1 was determined by using the Clearance 2 value and adding a growth buffer. Sagging of conductors and their movement in wind was then considered to ensure the growth buffer is adequate.
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	Yes
	⊠ No
	Comments: We appreciate the efforts of the SAR Drafting Team.

Individual Commenter Information			
(Comple	ete thi	s page for comments from one organization or individual.)	
Name:	Richard	Dearman	
Organization:	TVA		
Telephone: 2	256-851	-3523	
E-mail:	redearm	nan@tva.gov	
NERC Region		Registered Ballot Body Segment	
☐ ERCOT		1 — Transmission Owners	
☐ FRCC		2 — RTOs and ISOs	
☐ MRO		3 — Load-serving Entities	
		4 — Transmission-dependent Utilities	
☐ RFC		5 — Electric Generators	
\boxtimes SERC		6 — Electricity Brokers, Aggregators, and Marketers	
☐ SPP		7 — Large Electricity End Users	
		8 — Small Electricity End Users	
∐ NA – No Applicable	't 🔲	9 — Federal, State, Provincial Regulatory or other Government Entities	
		10 — Regional Reliability Organizations and Regional Entities	

Group Name:			
Lead Contact:			
Contact Organization:			
Contact Segment:			
Contact Telephone:			
Contact E-mail:			
Additional Member Name	Additional Member Organization	Region*	Segment*

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	Comments: The primary needs for mocdifications to this standard are in areas to address clarifications and formatting not reliability related issues.
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	Yes
	⊠ No
	Comments: We determined that there are no TVA lines below 200kv that must comply to this standard due to their criticial needs in SERC.
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach. Yes
	□ No
	Comments: We utilize a clearance 2 based on IEEE 516 2003 Table 5 criteria. Our Clearance 1 is a greater amount to allow for growth between clearing and next inspection or clearance activities. We will provide our tables is requested.
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	⊠ Yes
	□ No
	Comments: We feel that the reporting of Category 3 outages should be eliminated. We agree with the need for a "white paper" to expand on definitions and intent. We feel that a defined maintainable width of right of way is more appropriate than the actual easement widths because easement widhts are not purchased or operated exclusively with or for vegetation manitenance activies. We will be pleased to share greater details on this concern if requested.

Individual Commenter Information						
(Complete this page for comments from one organization or individual.)						
Name: Jef	effrey S. Disorda					
Organization: Vermont Electric Power Company, Inc.						
Telephone: 802-770-6240						
E-mail: jdisorda@velco.com						
NERC		Registered Ballot Body Segment				
Region						
☐ ERCOT	\boxtimes	1 — Transmission Owners				
☐ FRCC		2 — RTOs and ISOs				
☐ MRO		3 — Load-serving Entities				
⊠ NPCC		4 — Transmission-dependent Utilities				
RFC		5 — Electric Generators				
☐ SERC		6 — Electricity Brokers, Aggregators, and Marketers				
		7 — Large Electricity End Users				
☐ WECC		8 — Small Electricity End Users				
∐ NA – Not Applicable		9 — Federal, State, Provincial Regulatory or other Government Entities				
		10 — Regional Reliability Organizations and Regional Entities				

Group Name:			
Lead Contact:			
Contact Organization:			
Contact Segment:			
Contact Telephone:			
Contact E-mail:			
Additional Member Name	Additional Member Organization	Region*	Segment*

^{*}If more than one Region or Segment applies, indicate the best fit for the purpose of these comments. Regional acronyms and segment numbers are shown on prior page.

The SAR drafting team considered the comments submitted in response to the first posting of the SAR as well as the FERC Order 693 in preparing the revised SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to state more specifically that the revisions to the standard need to incorporate the compliance program elements of time horizons and violation severity levels to bring FAC-003-1 into conformance with the latest version of the Reliability Standard Development Procedure and the ERO Sanctions Guidelines.

The FERC has urged further industry consideration of a number of issues and these have been listed in the revised SAR as items to address during using standards development process to refine FAC-003-1. The SAR drafting team consensus is that a modification to FAC-003-1 to address the aforementioned items is warranted.

Please review the changes made to the Vegetation Management SAR and then respond to the questions on the following pages. Please e-mail your comments to sarcomm@nerc.net with the subject "Vegetation Management SAR" by **May 9, 2007.**

You need not answer all questions. Insert a "check" mark in the appropriate boxes by double-clicking the gray areas.

The SAR drafting team considered stakeholder comments on the first draft of this SAR and the FERC Order 693 in preparing the second draft of the SAR to modify FAC-003-1 — Transmission Vegetation Management.

The SAR drafting team modified the SAR to clarify that FAC-003-1 needs to add time horizons and violation severity levels to bring the standard into conformance with the latest version of the Reliability Standards Development Procedure and the ERO Sanctions Guidelines. (Time Horizons and Violation Severity Levels are both elements used to determine an appropriate sanction for violation of a standard.)

The SAR drafting team also modified the SAR to clarify that the scope of revisions to this standard will include addressing the issues raised by FERC in Order 693, including the following:

- Consideration of minimum clearances needed to avoid sustained vegetationrelated outages that would apply to transmission lines crossing both federal land and non-federal land
- Revisions to the definition of 'right of way' to encompass required clearance areas
- Review of the suitability of IEEE Standard 516-2003 for minimum vegetation clearance

Several commenters indicated that the reporting requirements may need revision and the SAR was revised to include consideration of modifications to the reporting requirements.

1.	Do you agree there is a reliability need for the proposed modifications and review of the standard?
	Yes
	□ No
	Comments:
2.	If you are a transmission owner, have you been provided a list from a Reliability Entity (formerly RRO) of sub 200kV critical transmission lines that must comply with FAC-003-1?
	☐ Yes
	⊠ No
	Comments: VELCO has not been provided a specific list of critical lines below 200kV from the RE that need to be in compliance with FAC-003-1. VELCO suggests changing the wording in the standard to indentify those lines affected as 200 kV and great or those defined as Bulk Power System facilities.
3.	If you are a transmission owner would you provide your methodology for determining clearance 1 and clearance 2? (As described in FAC-003-1 R1.2.1 and R1.2.2) If so, please attach.
	⊠ No
	Comments: VELCO has defined Clearance 1 as the maximum allowed vegetation heights (12ft high) at time of maintenance. This maximum height has evolved from experience with regional growth rates and other factors. VELCO's Clearance 2 is determined by the New England ISO's Operating Procedure 3, which is slightly more stringent than IEEE 516.
4.	Are there any other comments regarding the standard, its possible modifications or the SAR?
	Yes
	⊠ No
	Comments: